

Family 49. BURMANNIACEAE

Revision:

Jonker, FP. 1948. Burmanniaceae. Flora Malesiana series 1,4 (1948) 13-26, Fig. 1-8; idem. 592b.

1. *Burmannia* Linnaeus

Burmannia coelestis Don, Prod. Fl. Nepal. (1825) 44; --Merr., EPFP 1 (1924) 251; --Jonker, Fl.

Males. ser. 1, 4 (1948) 17. --Type:

India, Thailand, Indochina, S China, throughout Malesia (except the Lesser Sunda Isls), Caroline Isls. LUZON: Pangasinan. Open places at low altitudes.

Burmannia longifolia Becc., Malesia 1 (1877) 244; --Merr., EPFP 1 (1924) 251; --Jonker, Fl. Males.

ser.1, 4 (1948) 16; --Jonker, Fl. Males. ser.1, 4 (1948) 16. --Type:

Throughout Malesia (except Java and the Lesser Sunda Isls). MINDORO, NEGROS, CAMIGUIN, MINDANAO: Davao, Agusan. Wet montane forests along ridges and mossy trails, altitude 1200-1600m.

Burmannia nepalensis

Burmannia clementis Schltr., PJS 1 (1906) Suppl. 305; --Merr., EPFP 1 (1924) 251. --Type: Clemens 24.

Unaccounted for in Jonker's Flora Malesiana revision. Reported from MINDANAO:

Lanao del Sur. In grassland, altitude c. 650m.

2. *Scaphiophora* Schlechter

Scaphiophora gigantea Jonker, Monogr. (1938) 257; Fl. Males. ser. 1, 4 (1948) 26, Fig. 2. --Type: LUZON. Twice collected.