

Family 118. PITTOSPORACEAE

Revision:

Bakker, K & CGGJ van Steenis. 1957. *Pittosporaceae*. Flora Malesiana series 1,5: 345-362; idem 1, 6 (1972) 960-963..

1. *Citriobatus* A. Cunningham & Putterlick

1. *Citriobatus spinescens* (F Muell.) Druce, Rep. Bot. Exch. Cl. Br. Isl. For 1916 (1917) 615; -- Bakker & Steen., Fl. Males. ser. 1, 5 (1957) 362, f.9.
Citriobatus javanicus Boerl. & Koord., Icon. Bog. 1 (1901) 5, t. 77; --Merr., EPFP 2 (1923) 224.
Philippines, N Sulawesi, SE Java, Australia (Queensland and New South Wales).
LUZON: Batangas (Mt San Pedro), MINDANAO: Davao Oriental (Mati; Galintan). Low altitude thickets and dry forests, up to 300m. Fl. Dec.-Feb. Fr. Jan.-Dec.

2. *Pittosporum* Banks ex Gaertner

1. *Pittosporum ferrugineum* Aiton, Hort. Kew. ed. 2, 2 (1811) 27; --Bakker & Steen., Fl. Males. ser. 1, 5 (1957) 355.

SE Asia to Australia, and Melanesia (Bismarck & Solomon Isls).

2. *Pittosporum moluccanum* (Lam.) Miq., Illustr. 1 (1870) 76, *excl. specim., syn. part*; --Bakker & Steen., Fl. Males. ser. 1, 5 (1957) 356, Fig. 7-8.

Pittosporum euphlebium Merr., PJS 17 (1920) 258; EPFP 2 (1923) 222.

Pittosporum glaberrimum Merr., PJS 14 (1919) 402; EPFP 2 (1923) 222.

Pittosporum littorale Merr., PJS 5 c (1910) Bot. 179; EPFP 2 (1923) 222.

Pittosporum megacarpum Merr., PJS 5 c (1910) Bot. 179; EPFP 2 (1923) 222.

Pittosporum obscurinerve Merr., PJS 17 (1920) 257; EPFP 2 (1923) 222.

Pittosporum odoratum Merr., Govt. Lab. Publ. (Philipp.) 35 (1906) 16; EPFP 2 (1923) 222.

Pittosporum pulgarensis Elmer, LPB 5 (1913) 1825; --Merr., EPFP 2 (1923) 223.

Taiwan, Philippines, Sulawesi (including also Saleyer & Kabaena Isls.), Moluccas (Buru & Kei Isls), Java (especially E), Lesser Sunda Isls (throughout).

3. *Pittosporum pentandrum* (Blanco) Merr., Govt. Lab. Publ. (Philipp.) 27 (1905) 19; EPFP 2 (1923) 222.

Pittosporum pseudostipitatum Merr., PJS 14 (1919) 401; EPFP 2 (1923) 223.

Taiwan, Philippines, N Sulawesi. Parang vegetation, occasionally in rainforest, common at low and medium altitudes, ascending to 2300m.

4. *Pittosporum ramiflorum* Zoll. ex Miq., Fl. Ind. Bat. 1² (1858) 122; --Merr., EPFP 2 (1923) 223; --Bakker & Steen., Fl. Males. ser. 1, 5 (1957) 349, Fig. 2

Java, Borneo (Mt Kinabalu), Philippines, Sulawesi, Moluccas (Ambon; Buru; Seram), New Guinea, Solomon Isls. NEGROS, CEBU, BOHOL, MINDANAO.

5. *Pittosporum ramosii* Merr., PJS 5 c (1910) Bot. 180; EPFP 2 (1923) 223; --Bakker & Steen., Fl. Males. ser. 1, 5 (1957) 352

LUZON: Abra, Mountain Province. Forests, altitude c. 1500m.

6. *Pittosporum resiniferum* Hemsl., Kew Bull. (1894) 344; --Merr., EPFP 2 (1923) 224; --Bakker & Steen., Fl. Males. ser. 1, 5 (1957) 351, Fig. 3.

Pittosporum resiniferum Hemsl. var. *orbiculatum* Merr.

Pittosporum acuminatissimum Merr., PJS 14 (1919) 402; EPFP 2 (1923) 221.

Pittosporum epiphyticum Merr., PJS 3 c (1908) Bot. 138; EPFP 2 (1923) 222.

Philippines, Borneo (Sabah: Mt Kinabalu), Solomon Isls (Bougainville).

LUZON (widespread), MINDORO, CATANDUANES, PANAY, LEYTE, MINDANAO.

